

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 42

The lower the EnergyPerformance Index, the more efficient the home.

123 Any Place, Orlando, FL, 32806-

1. New construction or existing	New (From Plans)	9. Wall Types	Insulation	Area
2. Single family or multiple family	Single-family	a. Frame - Wood, Exterior	R=13.0	1230.00 ft ²
3. Number of units, if multiple family	1	b. Concrete Block - Int Insul, Exterior	R=7.6	944.00 ft ²
4. Number of Bedrooms	4	c. Concrete Block - Int Insul, Adjacent	R=7.6	176.00 ft ²
5. Is this a worst case?	No	d. N/A	R=	ft ²
6. Conditioned floor area (ft ²)	2400	10. Ceiling Types	Insulation	Area
7. Windows**	Description	a. Under Attic (Vented)	R=38.0	1200.00 ft ²
a. U-Factor:	U=0.39	b. Knee Wall (Vented)	R=38.0	150.00 ft ²
SHGC:	SHGC=0.28	c. N/A	R=	ft ²
b. U-Factor:	Gbl default	11. Ducts		
SHGC:	Clear default	a. Sup: Interior Ret: Interior AH: Interior	Sup. R= 4.2,	480 ft ²
c. U-Factor:	N/A	12. Cooling systems		
SHGC:		a. Central Unit	Cap: 24.0 kBtu/hr	
d. U-Factor:	N/A		SEER: 15	
SHGC:		13. Heating systems		
e. U-Factor:	N/A	a. Electric Heat Pump	Cap: 24.0 kBtu/hr	
SHGC:			HSPF: 8.2	
8. Floor Types	Insulation	Area		
a. Slab-On-Grade Edge Insulation	R=0.0	1200.00 ft ²		
b. N/A	R=	ft ²		
c. N/A	R=	ft ²		
		14. Hot water systems		
		a. Electric	Cap: 80 gallons	
			EF: 0.9	
		b. Conservation features		
		Solar:FEF=6.8		
		15. Credits		Pstat

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: _____ Date: _____
Address of New Home: _____ City/FL Zip: _____



*Note: The home's estimated Energy Performance Index is only available through the EnergyGauge USA - FlaRes2008 computer program. This is not a Building Energy Rating. If your Index is below 100, your home may qualify for incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at (321) 638-1492 or see the Energy Gauge web site at energygauge.com for information and a list of certified Raters. For information about Florida's Energy Efficiency Code for Building Construction, contact the Department of Community Affairs at (850) 487-1824.

**Label required by Section 13-104.4.5 of the Florida Building Code, Building, or Section B2.1.1 of Appendix G of the Florida Building Code, Residential, if not DEFAULT.